









HuaXingAn GDT for SPD Applications Concise Table

N0	Product Model	Dc spark over voltage	In 8/20μs	I _{max} 8/20μs	I _{imp} 10/350μs	TOV 1200V 0.2S	I _f	Body Size	Applications
1	H5R16-600L/800L	600V/800V	30KA	60KA	12KA	Not applicable	500A	Φ16 × 18.2mm	Class I&II L-N protection
Picture									
2	H6R20S-600L/800L	600V/800V	25KA	50KA	25KA	Not applicable	500A	Φ20 × 21mm	Class I&II L-N protection
Picture									
3	H6R20-600L/800L	600V/800V	25KA	50KA	25KA	Not applicable	500A	Φ20 × 28.5mm	Class I&II L-N protection
Picture									
4	H4R30-600L/800L	600V/800V	50KA	100KA	30KA	Not applicable	1000A	Φ30 × 31.5mm	Class I&II L-N protection
Picture									

HuaXingAn GDT for SPD Applications Concise Table

N0	Product Model	Dc spark over voltage	In 8/20μs	I _{max} 8/20μs	I _{imp} 10/350μs	TOV 1200V 0.2S	I _f	Body Size	Applications
5	H2R12-500xx/600xx/800xx	500V/600V/800V	20KA	40KA	12KA	300A	100A	Φ11.8 × 17.2mm	Class I&II N-PE protection
Picture									
6	H2R12-600VE/800VE	600V/800V	40KA	60KA	12KA	300A	100A	Φ11.8 × 17.8mm	Class I&II N-PE protection
Picture									
7	H2R12-600xE/800xE	600V/800V	60KA	80KA	12.5KA	300A	100A	Φ11.8 × 18.0mm	Class I&II N-PE protection
Picture									
8	H2R12-600xx/800xx	600V/800V	20KA	40KA	8KA	300A	100A	Φ12 × 6.5mm	Class I&II N-PE protection
Picture									

HuaXingAn GDT for SPD Applications Concise Table

N0	Product Model	Dc spark over voltage	In 8/20μs	I _{max} 8/20μs	I _{imp} 10/350μs	TOV 1200V 0.2S	I _f	Body Size	Applications
9	H2R16-600xx/800xx	600V/800V	30KA	60KA	12KA	300A	100A	Φ16 × 4.5mm	Class I&II N-PE protection
Picture									
10	H2R20-600VE/800VE	600V/800V	40KA	60KA	25KA	300A	100A	Φ20 × 5.7mm	Class I&II N-PE protection
Picture									
11	H2R20-600xx/800xx	600V/800V	30KA	60KA	20KA	300A	100A	Φ20 × 4.2mm	Class I&II N-PE protection
Picture									
12	H2R25-600L/800L	600V/800V	100KA	150KA	50KA	300A	100A	Φ25 × 21.5mm	Class I&II N-PE protection
Picture									

HuaXingAn GDT for SPD Applications Concise Table

N0	Product Model	Dc spark over voltage	In 8/20μs	I _{max} 8/20μs	I _{imp} 10/350μs	TOV 1200V 0.2S	I _f	Body Size	Applications
13	H2R25S-600L/800L	600V/800V	50KA	100KA	30KA	300A	100A	Φ25 × 6.5mm	Class I&II N-PE protection
Picture									
14	H2R30-600x/800x	600V/800V	60KA	120KA	30KA	300A	100A	Φ30 × 7.3mm	Class I&II N-PE protection
Picture									
15	H2R30S-600/800	600V/800V	50KA	100KA	50KA	300A	100A	Φ30 × 12.4mm	Class I&II N-PE protection
Picture									
16	H2R30-600/800	600V/800V	100KA	200KA	100KA	300A	100A	Φ30 × 28.5mm	Class I&II N-PE protection
Picture									